



METALLIC COMPOUND™

CANADA'S FIRST "PIPE DOPE"

MASTERS® METALLIC COMPOUND™ is a heavy duty pipe thread sealant of proven quality for use on both metal and plastic threaded connections. This all-weather product:

- 1) Lubricates during assembly
- 2) Never sets up hard
- 3) Can be easily disassembled even after years of service

MASTERS® METALLIC COMPOUND™

- Is non-corrosive and prevents galling and seizing
- Will not dry out or harden in the container
- Effectively seals most liquids and gases against leakage up to 6,000 psi and 550° F (287° C).

Directions:

- Stir Well
- Do NOT dilute
- Threads must be clean
- Apply to male threads beginning at 2nd thread
- Contains lead. Clean hands and work surfaces after use.



Listed by Underwriter's Laboratories of Canada and the US.

Recommended For:

- | | | | | |
|-----------------------------|---------------------------|-------------------------|----------------------|-----------------------|
| • Acids (dilute) | • Castor Oils | • Hydraulic Oils | • Methanol | • Refrigerants (most) |
| • Air (compressed, gaseous) | • Caustic Alkali (dilute) | • Hydrocarbons | • Mineral Oils | • Steam |
| • Aliphatic Solvents | • Carbon Dioxide | • Inert Gases (gaseous) | • Natural Gas | • Sugar (liquid) |
| • Alkalis (dilute) | • Diesel Fuel Oil | • Jet Fuel (JP4,5 & 6) | • Nitrogen (gaseous) | • Water (non-potable) |
| • Ammonia | • Gasoline | • Kerosene | • Oils | |
| • Brine | • Heating Oils | • LPG | • Petroleum Solvents | |
| • Butane | • Helium (gaseous) | • Manufactured Gases | • Propane | |

Catalogue Number	Description	Quantity Per Case	Approximate Case Shipping Weight	
CP250BT	250 ml (1/2 pt) Brush-Top Can	25	50 lbs	22.7 kg
CP1L	1 L (1 qt) Can	4	34 lbs	15.4 kg

For full chemical compatibility, contact us directly. Exercise caution when working with chemicals with low surface tension. Not safe for use on oxygen systems.



Find us on

©2020 OateySCS. All Rights Reserved. This information is based on data believed to be reliable but Oatey makes no warranties, express or implied, as to its accuracy and assumes no liability arising out of its use. The data listed falls within the normal range of product properties but should not be used to establish specification limits or used alone as the basis of design. Oatey's liability to purchasers is expressly limited to the terms and conditions of sale. Oatey is a trademark of Oatey Co. Oatey Co. is part of the Oatey family of companies. All other trademarks can be found on www.oatey.ca.