



EMERGENCY REPAIR TAPE

MASTERS® EMERGENCY REPAIR TAPE temporarily stops leaks of up to 150 PSI (water, air or steam) at temperatures of -130°F to 500°F (-90°C to 260°C).

MASTERS® EMERGENCY REPAIR TAPE is non-adhesive, so it works well on many types of piping including galvanized, copper, PVC, ABS, PEX and cast iron. It is environmentally safe and non-toxic.

MASTERS® EMERGENCY REPAIR TAPE has no temperate storage requirements, withstanding both hot and cold conditions. It is UV and tear resistant, allowing for maximum stretch. Pulling the tape as tight as possible allows it to seal by compression, forming a silicone mass to prevent leakage.

Directions:

- Clean surface before starting repair; dirt may cause unwanted air pockets in the seal.
- Starting with a 12" piece of tape, start wrapping directly over leak or crack (or slightly off to the side if the line is active).
- Wrap at maximum tension back and forth over the problem area, overlapping 50% of the way each time using white centre line as guide.
- Progressively expand the wrapped area until the tape covers the problem areas. Repeat layers as needed.
- Wrap final layer of tape at minimal tension around the sealed section to act as protection for the high tension seal beneath.



Catalogue Number	Description	Quantity Per Case	Approximate Case Shipping Weight	
RI-5-8A12	1" x 12' Roll in Hard Shell	9	2.2 lbs	1.0 kg
RI-5-8K12M	2" x 12' Roll in Hard Shell	6	2.6 lbs	1.2 kg
RI-5-8K40	2" x 36' Roll	1	1.1 lbs	0.5 kg



Find us on



©2020 OateySCS. All Rights Reserved. This information is based on data believed to be reliable but Oatey makes no warranties, express or implied, as to its accuracy and assumes no liability arising out of its use. The data listed falls within the normal range of product properties but should not be used to establish specification limits or used alone as the basis of design. Oatey's liability to purchasers is expressly limited to the terms and conditions of sale. Oatey is a trademark of Oatey Co. Oatey Co. is part of the Oatey family of companies. All other trademarks can be found on www.oatey.ca.