

LEED Green Building Submittal Sheet- Dearborn Rough-In, Quarter, and Model Kits











	Description of Section's Relevance	Rough-In Kits	Bath Waste Quarter Kits	Bath Waste Model Kits
Product Offerings	Various products offered by Oatey SCS® that apply to information as follows.	 Schedule 40 Cable Bath Waste Rough-In Kit Schedule 40 Rough-In Kits 	 PVC S 40 Bath Waste Quarter Kit ABS S 40 Bath Waste Quarter Kit 	Test Plug KitConversion Bar Kit
Low Emitting Materials- VOC Emission Limits	Strictest VOC regulatory limit in which governs the above products.	There are no VOC regulations for these products.	There are no VOC regulations for these products.	There are no VOC regulations for these products.
Low Emitting Materials- Product VOC Content	Best estimate of the actual VOC content within product in g/L or % by weight. Products with low VOC content may assist in earning LEED credit and improving air quality.	These products have no VOC content.	These products have no VOC content.	These products have no VOC content.
Building Product Disclosure- Recycled Content of Materials	Recycled content used within product that may assist in earning LEED points.	There is no recycled content present in these products.	There is no recycled content present in these products.	There is no recycled content present in these products.
Red List Content	Any red list materials as defined by the Living Building Challenge (LBC).	These products contain lead, which has been red listed by the LBC.	These products contain lead, which has been red listed by the LBC.	These products contain lead, which has been red listed by the LBC.

PBT ¹ Source Reduction-Lead, Cadmium, Copper	Lead, Cadmium, and Copper content for use in determining LEED credit for PBT reduction.	Schedule 40 Cable Rough-In Kit-Copper cable stopper parts with a max 99% copper by weight. Schedule 40 Rough-In Kits- Spud and screw contain min 56% copper and max 4% lead. Aluminum bar and optional zinc spud contain max 0.4% copper.	PVC Quarter Kits- Brass stem and spud contain a min 56% copper and max 4% lead. Stopper body contains a max 0.4% copper. ABS Quarter Kits- Brass stem contains a min 56% copper and max 4% lead. Zinc spud and body contain a max 0.4% copper.	Conversion Bar Kit includes an aluminum cross bar containing a max of 0.4% copper and brass screws with a max of 68% copper and 0.03% lead by weight.
Conflict Mineral Content	Any materials within the product that may be from the DRC (Democratic Republic of Congo).	These products contain no conflict minerals.	These products contain no conflict minerals.	These products contain no conflict minerals.
Hazardous Substance Content (ROHS)	Any substances contained within the product reportable per ROHS guidelines.	These products contain lead.	These products contain lead.	These products contain lead.
Location(s) Where Manufactured	Manufacturing location of the product pertains to its carbon footprint. If jobsite area is within 500 straight-line miles ² of this location, LEED credit may be earned.	Locations of manufacturing:Taiwan	Locations of manufacturing: • Taiwan	Locations of manufacturing: Taiwan
Additional Information	Additional product information relative to LEED or environmental health and safety.	There is no additional information for these products.	There is no additional information for these products.	There is no additional information for these products.

¹PBT's are known as Persistent Bioaccumulative Toxins.

²For use in determining distance between jobsite and manufacturing location in straight-line miles, use tool provided by this link http://www.daftlogic.com/projects-google-maps-distance-calculator.htm.

^{*}All information contained in this document is gathered from reliable sources believed to be up-to-date and accurate to the best of our knowledge.